

Work Order ID 93768

November-27-12 11:11:19 AM

93768

Page 1

Item ID: D2661-1

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Saddle, LH Fwd Aft Out 206

Start Date: 12/06/12 Start Qty: 24.00

24

Cust Item ID:

Required Date: 12/14/12 Req'd Qty: 24.00

24

Customer:

Reference:

Approvals: Process Plan: MLJ

Date: 12-11-20 Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start ***NR1***

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D2661

Rev E

100

0.00

100

HAAS CNC VERTICAL MACHINING #1

HAAS I

Memo

0.00

HAAS CNC vertical machine #1

Program part number and batch number.

Program part number and batch number
MACHINE AS PER DWG AND FOLIO FB073

FOLIO REV: E

DWG REV: E

FK 12/12/18

PO 12/12/20

24

Ø

110

0.00

110

CONVENTIONAL MILLING MACHINE

Mill Conv

Memo

0.00

Conventional Milling Machine

Machine Keyway and inspect per attached dimension sheet

FK 12/12/18

PO 12/12/20

24

Ø

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Doc/Data <input type="checkbox"/>											
Equip/Tooling <input type="checkbox"/>											
Operator <input type="checkbox"/>											
Material <input type="checkbox"/>											
Setup <input type="checkbox"/>											
Other <input type="checkbox"/>											
Process <input type="checkbox"/>											
Supplier <input type="checkbox"/>											
Training <input type="checkbox"/>											
Unapproved <input type="checkbox"/>											

FAULT CATEGORY			
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions	<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge <input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data									
Equip/Tooling									
Operator									
Material									
Setup									
Other									
Process									
Supplier									
Training									
Unapproved									

FAULT CATEGORY

Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped. <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions	<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge	<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Work Order ID 93768

93768

Page 3

November-27-12 11:11:19 AM

Item ID: D2661-1 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Saddle, LH Fwd Aft Out 206
 Start Date: 12/06/12 Start Qty: 24.00 *24* Cust Item ID:
 Required Date: 12/14/12 Req'd Qty: 24.00 *24* Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150 *150* Powdercoat Powder Coating	White Gloss(Ref:4.3.5.1) per OSI005 4.3-Alum <i>M1033 83</i> Memo START TIME: <i>2:05</i> OVEN TEMPERATURE: <i>300</i> FINISH TIME: <i>2:05</i>	0.00 0.00				<i>24</i>	<i>0</i>	<i>BL 13-1-7.</i>	
160 *160* QC Quality Control	QC3- Inspect Part Finish Memo	0.00 0.00				<i>24</i>	<i>0</i>	<i>HL 12/11/07</i>	
170 *170* Packaging Packaging	Identify as per dwg & Stock Location: <i>SI432</i> Memo	0.00 0.00				<i>24x</i>		<i>Sp</i> <i>13-08-08</i>	

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data									
Equip/Tooling									
Operator									
Material									
Setup									
Other									
Process									
Supplier									
Training									
Unapproved									

FAULT CATEGORY

Landing Gear	General	Other
<input type="checkbox"/> Bending	<input type="checkbox"/> Bend	<input type="checkbox"/> Grain
<input type="checkbox"/> Centre Not Concentric to O/S	<input type="checkbox"/> BOM/Route	<input type="checkbox"/> Hardware
<input type="checkbox"/> Cracks	<input type="checkbox"/> Broken/Damaged	<input type="checkbox"/> Inspection Incomplete
<input type="checkbox"/> Crushed/Crimped.	<input type="checkbox"/> Burrs	<input type="checkbox"/> Instructions Incomplete/Unclear
<input type="checkbox"/> Cuffs	<input type="checkbox"/> Contamination	<input type="checkbox"/> Maintenance
<input type="checkbox"/> Heat Treat	<input type="checkbox"/> Countersink	<input type="checkbox"/> Mislabeled
<input type="checkbox"/> Inspection Strip in Tube	<input type="checkbox"/> Cut Too Short	<input type="checkbox"/> Misread
<input type="checkbox"/> Ripples in Bend	<input type="checkbox"/> Drill Holes	<input type="checkbox"/> Offset
<input type="checkbox"/> Torque Waves in Extrusion	<input type="checkbox"/> Drawing	<input type="checkbox"/> Out of Calibration
<input type="checkbox"/> Turning Sequence	<input type="checkbox"/> Finish	<input type="checkbox"/> Out of Sequence
<input type="checkbox"/> Wave/Twist in Tube	<input type="checkbox"/> Folio	<input type="checkbox"/> Outside Dimensions
		<input type="checkbox"/> Ovalized
		<input type="checkbox"/> Over/Under tolerance
		<input type="checkbox"/> Part Incorrect
		<input type="checkbox"/> Part Lost/Missing
		<input type="checkbox"/> Part Moved
		<input type="checkbox"/> Positioned Wrong
		<input type="checkbox"/> Power Loss/Surge
		<input type="checkbox"/> Pressure/Forced
		<input type="checkbox"/> Temperature/Cure
		<input type="checkbox"/> Weld
		<input type="checkbox"/> Wrong Stock Pulled
		<input type="checkbox"/> Other

Work Order ID 93768

93768

Page 4

November-27-12 11:11:19 AM

Item ID: D2661-1

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Saddle, LH Fwd Aft Out 206

Start Date: 12/06/12 Start Qty: 24.00

24

Cust Item ID:

Required Date: 12/14/12 Req'd Qty: 24.00

24

Customer:

Reference:

Run Start ***NR1***

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Stop ***NR2***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180	QC21- Final Inspection - Work Order Release	0.00							
180									
QC	Memo	0.00							
Quality Control									

MLJ 13-01-08

MF
13-01-08

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data									
Equip/Tooling									
Operator									
Material									
Setup									
Other									
Process									
Supplier									
Training									
Unapproved									

FAULT CATEGORY

Landing Gear	General	Other
<input type="checkbox"/> Bending	<input type="checkbox"/> Bend	<input type="checkbox"/> Grain
<input type="checkbox"/> Centre Not Concentric to O/S	<input type="checkbox"/> BOM/Route	<input type="checkbox"/> Hardware
<input type="checkbox"/> Cracks	<input type="checkbox"/> Broken/Damaged	<input type="checkbox"/> Inspection Incomplete
<input type="checkbox"/> Crushed/Crimped.	<input type="checkbox"/> Burrs	<input type="checkbox"/> Instructions Incomplete/Unclear
<input type="checkbox"/> Cuffs	<input type="checkbox"/> Contamination	<input type="checkbox"/> Maintenance
<input type="checkbox"/> Heat Treat	<input type="checkbox"/> Countersink	<input type="checkbox"/> Misabeled
<input type="checkbox"/> Inspection Strip in Tube	<input type="checkbox"/> Cut Too Short	<input type="checkbox"/> Misread
<input type="checkbox"/> Ripples in Bend	<input type="checkbox"/> Drill Holes	<input type="checkbox"/> Offset
<input type="checkbox"/> Torque Waves in Extrusion	<input type="checkbox"/> Drawing	<input type="checkbox"/> Out of Calibration
<input type="checkbox"/> Turning Sequence	<input type="checkbox"/> Finish	<input type="checkbox"/> Out of Sequence
<input type="checkbox"/> Wave/Twist in Tube	<input type="checkbox"/> Folio	<input type="checkbox"/> Outside Dimensions
		<input type="checkbox"/> Ovalized
		<input type="checkbox"/> Over/Under tolerance
		<input type="checkbox"/> Part Incorrect
		<input type="checkbox"/> Part Lost/Missing
		<input type="checkbox"/> Part Moved
		<input type="checkbox"/> Positioned Wrong
		<input type="checkbox"/> Power Loss/Surge
		<input type="checkbox"/> Pressure/Forced
		<input type="checkbox"/> Temperature/Cure
		<input type="checkbox"/> Weld
		<input type="checkbox"/> Wrong Stock Pulled
		<input type="checkbox"/> Other

Picklist Print

November-27-12 11:11:18 AM

Page 1

Work Order ID: 93768

Parent Item: D2661-1

Start Date: 12/06/12

Required Date: 12/14/12

Parent Item Name: Saddle, LH Fwd Aft Out 206

Start Qty: 24.00

Required Qty: 24.00

Comments: IPP: C00.11.01Removed P/O for Powder Coat - in house
processEC
ERROR 11-11-17 JLM VERIFIED BY:DD
IPP Rev:D As per Rev D 07-03-19 JLM

IPP REV:D REDESIGN PER ENG

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-003 Saddle Billet, 7075		Manufactured	No			100	Each	140.0000	1	24			

Location

Loc Qty

Loc Code

MAT040

79

73775

2

73780

7

78599

10

80765

0

91239

60

MAT042

60

91238

30

92531

30

MAT044

1

73769

1

24

P.K. 12/12/10

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Skid-tube <input type="checkbox"/></td> <td style="width: 33%;">Crosstube <input type="checkbox"/></td> <td style="width: 33%;">Water Jet <input type="checkbox"/></td> <td style="width: 33%;">Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data <input type="checkbox"/>									
Equip/Tooling <input type="checkbox"/>									
Operator <input type="checkbox"/>									
Material <input type="checkbox"/>									
Setup <input type="checkbox"/>									
Other <input type="checkbox"/>									
Process <input type="checkbox"/>									
Supplier <input type="checkbox"/>									
Training <input type="checkbox"/>									
Unapproved <input type="checkbox"/>									

FAULT CATEGORY

Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions	<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge <input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

DART AEROSPACE LTD		Work Order:	93768
Description: 206 Saddle, Outboard, Left side		Part Number:	D2661-1
Inspection Dwg: D2661 Rev: E DSK: Rev:		Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

Dim	Min	Max	Go/No Go Gauge	Record Actual Dimensions				
				1	2	3	4	5
A	3.611	3.621		3.616	3.616	3.616	3.616	3.616
B	0.256	0.263		.258	.258	.258	.258	.258
C	0.315	0.322		.316	.316	.316	.316	.316
D	2.495	2.505		2.500	2.500	2.500	2.500	2.500
E	1.674	1.684		1.679	1.679	1.679	1.679	1.679
F	1.357	1.367		1.362	1.362	1.362	1.362	1.362
G	0.100	0.140		.120	.119	.118	.118	.121
H	0.210	0.230		.224	.224	.223	.224	.225
I	0.615	0.685		.680	.680	.680	.680	.680
J	2.470	2.510		2.491	2.491	2.491	2.491	2.489
K	1.313	1.343		1.327	1.325	1.325	1.324	1.327
L	0.178	0.198		.188	.188	.188	.188	.188
M	0.470	0.530		.500	.500	.500	.500	.500
N	1.125	1.145		1.135	1.136	1.1365	1.1335	1.138
O	0.100	0.180		.140	.140	.140	.140	.140
P	0.100	0.140		.130	.131	.127	.129	.129
Q	0.240	0.260		.253	.250	.253	.253	.251
R	0.677	0.697		.687	.687	.687	.687	.687
S	0.100	0.140		.120	.118	.118	.120	.119
T	1.565	1.585		1.576	1.577	1.577	1.574	1.5785
U	0.540	0.560		.550	.550	.550	.550	.550
V	0.912	0.932		.922	.922	.922	.921	.921
W	0.787	0.807		.797	.797	.797	.798	.798
X	5.990	6.010		6.000	6.000	6.000	6.000	6.000
Y	4.995	5.005		5.000	5.000	5.000	5.000	5.000
Z	0.490	0.510		.500	.500	.499	.499	.498
AA	0.312	0.319		.314	.314	.314	.314	.314
AB	0.990	1.010		1.000	1.000	1.000	1.000	1.000
AC	1.245	1.255		1.250	1.250	1.250	1.250	1.250
AD	0.490	0.510		.501	.501	.500	.500	.500
AE	3.745	3.755		3.750	3.750	3.750	3.750	3.750
AF	0.235	0.240		.237	.237	.237	.237	.237
AG	0.510	0.515		.512	.512	.512	.512	.512
AH	0.100	0.120		.113	.113	.113	.113	.113
Accept/Reject				✓				

Measured by: FR	Date: 12/12/18
Audited by:	Date:
Prototype Approval:	Date:

Rev	Date	Change	Revised by	Approved
E	06.07.05	Revised per drawing revision C	KJ/JLM	
F	07.03.21	Revised per drawing revision D	KJ/JLM	
G	11.11.07	Dimensions C and F revised	KJ	
H	12.01.10	Revised per drawing revision E	KJ	MA

DART AEROSPACE LTD		Work Order:	93768
Description: 206 Saddle, Outboard, Left side		Part Number:	D2661-1
Inspection Dwg: D2661 Rev: E DSK: Rev:		Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

Dim	Min	Max	Go/No Go Gauge	Record Actual Dimensions				
				1	2	3	4	5
A	3.611	3.621		3.616	3.616	3.616	3.616	3.616
B	0.256	0.263		.258	.258	.258	.258	.258
C	0.315	0.322		.316	.316	.316	.316	.316
D	2.495	2.505		2.500	2.500	2.500	2.500	2.500
E	1.674	1.684		1.679	1.679	1.679	1.679	1.679
F	1.357	1.367		1.362	1.362	1.362	1.362	1.362
G	0.100	0.140		.118	.120	.118	.118	.119
H	0.210	0.230		.223	.225	.223	.223	.224
I	0.615	0.685		.680	.680	.680	.680	.680
J	2.470	2.510		2.491	2.491	2.491	2.491	2.491
K	1.313	1.343		1.324	1.325	1.325	1.325	1.325
L	0.178	0.198		.188	.188	.188	.188	.188
M	0.470	0.530		.500	.500	.500	.500	.500
N	1.125	1.145		1.134	1.139	1.135	1.135	1.136
O	0.100	0.180		.140	.140	.140	.140	.140
P	0.100	0.140		.129	.125	.129	.123	.125
Q	0.240	0.260		.253	.250	.252	.252	.249
R	0.677	0.697		.687	.686	.687	.686	.687
S	0.100	0.140		.120	.118	.120	.114	.115
T	1.565	1.585		1.575	1.579	1.576	1.5755	1.576
U	0.540	0.560		.550	.551	.551	.547	.546
V	0.912	0.932		.921	.921	.920	.920	.919
W	0.787	0.807		.798	.798	.798	.799	.800
X	5.990	6.010		6.000	6.000	6.000	6.000	6.000
Y	4.995	5.005		5.000	5.000	5.000	5.000	5.000
Z	0.490	0.510		.498	.499	.500	.497	.498
AA	0.312	0.319		.314	.314	.314	.314	.314
AB	0.990	1.010		1.000	1.000	1.000	1.000	1.000
AC	1.245	1.255		1.250	1.250	1.250	1.250	1.250
AD	0.490	0.510		.500	.501	.501	.500	.500
AE	3.745	3.755		3.750	3.750	3.750	3.750	3.750
AF	0.235	0.240		.237	.237	.237	.236	.236
AG	0.510	0.515		.512	.512	.512	.512	.512
AH	0.100	0.120		.113	.113	.113	.117	.112
Accept/Reject								

Measured by:	F.K. / P.D.	Date:	12/12/19
Audited by:	D.A.	Date:	12/12/21
Prototype Approval:		Date:	

Rev	Date	Change	Revised by	Approved
E	06.07.05	Revised per drawing revision C	KJ/JLM	
F	07.03.21	Revised per drawing revision D	KJ/JLM	
G	11.11.07	Dimensions C and F revised	KJ	
H	12.01.10	Revised per drawing revision E	KJ	

DART AEROSPACE LTD		Work Order:	93768
Description: 206 Saddle, Outboard, Left side		Part Number:	D2661-1
Inspection Dwg: D2661 Rev: E DSK: Rev:		Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

Dim	Min	Max	Go/No Go Gauge	Record Actual Dimensions				
				11	12	13	14	15
A	3.611	3.621		3.616	3.616	3.616	3.616	3.616
B	0.256	0.263		.258	.258	.258	.258	.258
C	0.315	0.322		.316	.316	.316	.316	.316
D	2.495	2.505		2.500	2.500	2.500	2.500	2.500
E	1.674	1.684		1.679	1.679	1.679	1.679	1.679
F	1.357	1.367		1.362	1.362	1.362	1.362	1.362
G	0.100	0.140		.118	.118	.118	.119	.117
H	0.210	0.230		.222	.223	.226	.223	.222
I	0.615	0.685		.680	.680	.680	.680	.680
J	2.470	2.510		2.491	2.491	2.491	2.491	2.491
K	1.313	1.343		1.326	1.326	1.330	1.324	1.322
L	0.178	0.198		.188	.188	.188	.188	.188
M	0.470	0.530		.500	.500	.500	.500	.500
N	1.125	1.145		1.133	1.135	1.135	1.136	1.133
O	0.100	0.180		.140	.140	.140	.140	.140
P	0.100	0.140		.126	.125	.127	.124	.126
Q	0.240	0.260		.251	.251	.251	.249	.249
R	0.677	0.697		.684	.687	.685	.685	.687
S	0.100	0.140		.117	.117	.120	.115	.116
T	1.565	1.585		1.574	1.574	1.576	1.576	1.574
U	0.540	0.560		.547	.549	.548	.549	.550
V	0.912	0.932		.920	.920	.919	.919	.917
W	0.787	0.807		.798	.798	.799	.801	.800
X	5.990	6.010		6.000	6.000	6.000	6.000	6.000
Y	4.995	5.005		5.000	5.000	5.000	5.000	5.000
Z	0.490	0.510		.499	.499	.497	.497	.497
AA	0.312	0.319		.314	.314	.314	.314	.314
AB	0.990	1.010		1.000	1.000	1.000	1.000	1.000
AC	1.245	1.255		1.250	1.250	1.250	1.250	1.250
AD	0.490	0.510		.500	.499	.497	.500	.500
AE	3.745	3.755		3.750	3.750	3.750	3.750	3.750
AF	0.235	0.240		.236	.236	.237	.237	.237
AG	0.510	0.515		.512	.512	.512	.512	.512
AH	0.100	0.120		.112	.112	.113	.113	.113
Accept/Reject								

Measured by: PD	Date: 12/12/20
Audited by: D.A.	Date: 12/12/21
Prototype Approval:	Date:

Rev	Date	Change	Revised by	Approved
E	06.07.05	Revised per drawing revision C	KJ/JLM	
F	07.03.21	Revised per drawing revision D	KJ/JLM	
G	11.11.07	Dimensions C and F revised	KJ	
H	12.01.10	Revised per drawing revision E	KJ	

DART AEROSPACE LTD				Work Order:	93760
Description: 206 Saddle, Outboard, Left side				Part Number:	D2661-1
Inspection Dwg: D2661 Rev: E DSK: Rev:				Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

Dim	Min	Max	Go/No Go Gauge	Record Actual Dimensions				
				6 ⁺	17 ²	18 ³	19 ⁴	20 ⁵
A	3.611	3.621		3.616	3.616	3.616	3.616	3.616
B	0.256	0.263		.258	.258	.258	.258	.258
C	0.315	0.322		.316	.316	.316	.316	.316
D	2.495	2.505		2.500	2.500	2.500	2.500	2.500
E	1.674	1.684		1.679	1.679	1.679	1.679	1.679
F	1.357	1.367		1.362	1.362	1.362	1.362	1.362
G	0.100	0.140		.115	.118	.117	.117	.119
H	0.210	0.230		.220	.223	.222	.221	.224
I	0.615	0.685		.680	.680	.680	.680	.680
J	2.470	2.510		2.491	2.491	2.491	2.491	2.491
K	1.313	1.343		1.321	1.324	1.323	1.324	1.325
L	0.178	0.198		.189	.188	.188	.188	.188
M	0.470	0.530		.500	.500	.500	.500	.500
N	1.125	1.145		1.132	1.135	1.132	1.134	1.137
O	0.100	0.180		.140	.140	.140	.140	.140
P	0.100	0.140		.127	.126	.126	.126	.126
Q	0.240	0.260		.251	.249	.251	.250	.249
R	0.677	0.697		.685	.685	.684	.685	.687
S	0.100	0.140		.118	.117	.118	.118	.116
T	1.565	1.585		1.570	1.575	1.572	1.574	1.577
U	0.540	0.560		.549	.549	.546	.550	.547
V	0.912	0.932		.926	.918	.921	.920	.919
W	0.787	0.807		.802	.800	.801	.799	.796
X	5.990	6.010		6.000	6.000	6.000	6.000	6.000
Y	4.995	5.005		5.000	5.000	5.000	5.006	5.000
Z	0.490	0.510		.497	.499	.497	.497	.498
AA	0.312	0.319		.314	.314	.314	.314	.314
AB	0.990	1.010		1.000	1.000	1.000	1.000	1.000
AC	1.245	1.255		1.250	1.250	1.250	1.250	1.250
AD	0.490	0.510		.500	.500	.500	.499	.500
AE	3.745	3.755		3.750	3.750	3.750	3.750	3.750
AF	0.235	0.240		.236	.236	.236	.236	.236
AG	0.510	0.515		.512	.512	.512	.512	.512
AH	0.100	0.120		.112	.112	.112	.112	.112
Accept/Reject								

Measured by: <u>DB</u>	Date: <u>12/12/20</u>
Audited by: <u>BA</u>	Date: <u>12/12/21</u>
Prototype Approval:	Date:

Rev	Date	Change	Revised by	Approved
E	06.07.05	Revised per drawing revision C	KJ/JLM	
F	07.03.21	Revised per drawing revision D	KJ/JLM	
G	11.11.07	Dimensions C and F revised	KJ	
H	12.01.10	Revised per drawing revision E	KJ	


DART AEROSPACE LTD				Work Order: 93760	
Description: 206 Saddle, Outboard, Left side				Part Number: D2661-1	
Inspection Dwg: D2661 Rev: E DSK: Rev:				Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET


Dim	Min	Max	Go/No Go Gauge	Record Actual Dimensions				
				21	22	23	24	5
A	3.611	3.621		3.616	3.616	3.616	3.616	
B	0.256	0.263		.258	.258	.258	.258	
C	0.315	0.322		.316	.316	.316	.316	
D	2.495	2.505		2.500	2.500	2.500	2.500	
E	1.674	1.684		1.679	1.679	1.679	1.679	
F	1.357	1.367		1.362	1.362	1.362	1.362	
G	0.100	0.140		.117	.117	.118	.118	
H	0.210	0.230		.222	.222	.222	.223	
I	0.615	0.685		.680	.680	.680	.680	
J	2.470	2.510		2.491	2.491	2.491	2.491	
K	1.313	1.343		1.324	1.323	1.323	1.323	
L	0.178	0.198		.188	.188	.188	.188	
M	0.470	0.530		.500	.500	.500	.500	
N	1.125	1.145		1.137	1.134	1.134	1.134	
O	0.100	0.180		.140	.140	.140	.140	
P	0.100	0.140		.126	.125	.124	.124	
Q	0.240	0.260		.249	.249	.249	.249	
R	0.677	0.697		.683	.686	.687	.686	
S	0.100	0.140		.114	.117	.117	.116	
T	1.565	1.585		1.577	1.575	1.574	1.575	
U	0.540	0.560		.547	.548	.548	.547	
V	0.912	0.932		.917	.919	.919	.919	
W	0.787	0.807		.796	.801	.798	.797	
X	5.990	6.010		6.000	6.000	6.000	6.000	
Y	4.995	5.005		5.000	5.000	5.000	5.000	
Z	0.490	0.510		.497	.497	.496	.495	
AA	0.312	0.319		.314	.314	.314	.314	
AB	0.990	1.010		1.000	1.000	1.000	1.000	
AC	1.245	1.255		1.250	1.250	1.250	1.250	
AD	0.490	0.510		.499	.499	.500	.499	
AE	3.745	3.755		3.750	3.750	3.750	3.750	
AF	0.235	0.240		.236	.236	.236	.236	
AG	0.510	0.515		.512	.512	.512	.512	
AH	0.100	0.120		.112	.112	.112	.112	
Accept/Reject								

Measured by: UD	Date: 12/12/21
Audited by: H.A.	Date: 12/12/21
Prototype Approval:	Date:

Rev	Date	Change	Revised by	Approved
E	06.07.05	Revised per drawing revision C	KJ/JLM	
F	07.03.21	Revised per drawing revision D	KJ/JLM	
G	11.11.07	Dimensions C and F revised	KJ	
H	12.01.10	Revised per drawing revision E	KJ	



D2661-1 SADDLE, OUTSIDE, LH



D2661-2 SADDLE, OUTSIDE, RH

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED CO
SUBJECT TO AMENDME
WITHOUT NOTICE
WORK ORDER
NO. 93768 MJS
12-11-28

RELEASED
2011-11-16

REV.	DESCRIPTION	BY	DATE
E	REDRAW & REFORMAT DWG; 0.687 WAS 0.547 (B6-2,B8-4), REF. NOR 11-935	CP	11.10.31
D	R0.188 WAS R0.30; Ø0.316 WAS Ø0.313	CB	06.11.08
C	INCORPORATE DEO 9122, 9102, 9085	CB	06.05.29
B	ANGLE AND NOTES ADDED	KE	97.07.11
A	NEW ISSUE	DS	07.03.25
DESIGN	DART AEROSPACE USA, INC.		
DRAWN	KENT, WA		
CHECKED	ASS	DRAWING NO.	REV. E
MFG. APPR.		D2661	SHEET 1 OF 5
APPROVED		TITLE	SCALE
DE APPR.		SADDLE, OUTSIDE	NTS
DATE	11.10.31	<small>COPYRIGHT © 1997 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

937

D2661-1 SADDLE, OUTSIDE, LH

1) MATERIAL: 7075-T7351 ALUMINUM PLATE PER QQ-A-250/12, AMS-QQ-A-250/12, OR ASTM B209
MAKE FROM D6101-003 SADDLE BILLET

2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE GLOSS" (4.3.5.1) PER DART QSI 005 4.3

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.010 TO 0.020 MAX

6) IDENTIFICATION: IDENTIFY WITH DART P/N AND B/N PER DART QSI 044 6.3 (CNC ENGRAVING)
USING MAX DEPTH OF 0.010 WITH MIN RADIUS OF 0.010
IDENTIFY WITH DART LOGO PER DART QSI 044 6.3 (CNC ENGRAVING)
USING MAX DEPTH OF 0.015 WITH MIN RADIUS OF 0.25

7) WEIGHT: 0.79 lbs

RELEASED
2011-11-16


DESIGN		DART AEROSPACE USA, INC.	
DRAWN	JP	KENT, WA	
CHECKED	ASS	DRAWING NO.	REV. E
MFG. APPR.	WJ	D2661	SHEET 2 OF 5
APPROVED	WJ	TITLE	SCALE
DE APPR.	WJ	SADDLE, OUTSIDE	NTS
DATE	11.10.31	COPYRIGHT © 1997 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

- 1) MATERIAL: 7075-T7351 ALUMINUM PLATE PER QQ-A-250/12, AMS-QQ-A-250/12, OR ASTM B209
MAKE FROM D6101-003 SADDLE BILLET
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE GLOSS" (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.010 TO 0.020 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N AND B/N PER DART QSI 044 6.3 (CNC ENGRAVING)
USING MAX DEPTH OF 0.010 WITH MIN RADIUS OF 0.010
IDENTIFY WITH DART LOGO PER DART QSI 044 6.3 (CNC ENGRAVING)
USING MAX DEPTH OF 0.015 WITH MIN RADIUS OF 0.25
- 7) WEIGHT: 0.79 lbs


RELEASED
2011-11-16

DESIGN	40	DART AEROSPACE USA, INC. KENT, WA DRAWING NO. D2661 TITLE SADDLE, OUTSIDE COPYRIGHT © 1987 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE COUPON'S CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	REV. E
DRAWN	40		SHEET 2 OF 2
CHECKED	ASS		SCALE
MFG. APPR.			NTS
APPROVED			
DE APPR.			
DATE	11.10.31		

93760



VIEW B-B
SCALE 1.5X
VIEW ROTATED




VIEW A-A
SCALE 1.5X

RELEASED
2011-11-16

DESIGN		DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. E
MFG. APPR.		D2661	SHEET 3 OF 5
APPROVED		TITLE	SCALE
DE APPR.		SADDLE, OUTSIDE	NTS
DATE	11.10.31	<small>COPYRIGHT © 1997 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

93768






RELEASED
2011-11-16

D2661-2 SADDLE, OUTSIDE, RH

- 1) MATERIAL: 7075-T7351 ALUMINUM PLATE PER QQ-A-250/12, AMS-QQ-A-250/12, OR ASTM B209
MAKE FROM D6101-003 SADDLE BILLET
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE GLOSS" (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.010 TO 0.020 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N AND B/N PER DART QSI 044 6.3 (CNC ENGRAVING)
USING MAX DEPTH OF 0.010 WITH MIN RADIUS OF 0.010
IDENTIFY WITH DART LOGO PER DART QSI 044 6.3 (CNC ENGRAVING)
USING MAX DEPTH OF 0.015 WITH MIN RADIUS OF 0.25
- 7) WEIGHT: 0.79 lbs

DESIGN		DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED	ASS	DRAWING NO.	REV. E
MFG. APPR.		D2661	SHEET 4 OF 5
APPROVED		TITLE	SCALE
DE APPR.		SADDLE, OUTSIDE	NTS
DATE	11.10.31	<small> COPYRIGHT © 1997 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR DISCLOSED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. </small>	

93760



RELEASED
2011-11-16

DESIGN	90	DART AEROSPACE USA, INC.	
DRAWN	90	KENT, WA	
CHECKED	ASS	DRAWING NO.	REV. E
MFG. APPR.		D2661	SHEET 5 OF 5
APPROVED		TITLE	SCALE
DE APPR.		SADDLE, OUTSIDE	NTS
DATE	11.10.31	COPYRIGHT © 1997 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR DISSEMINATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

